





BERTA


SMBERTA

- Sponge-machine for cleaning grout from floors.
- Does not pull grout from joint.
- Each sponge roller lasts from 150 to 2,000 square meter. (1,600 to 21,000 ft)
- Water feeds in to the roller through foam-reducing rubber belt.
- No pumps needed.
- Easy-to-use pressure adjustment lever.
- Seperate levers adjusts the front wheels height.
- Easy-to-replace sponge rollers with magnetic "quick'clutch" system.
- Folding handle for transportation and storage.
- Handle is fully adjustable in height and angle according to its user's need.
- Die cast aluminum body reduces weight while increasing overall strength and durability.
- Easy-to-remove water tank of 4 gallon capacity.
- Water tank made from impact resistant plastic to prevent breakage.

SPONGE RPM	MOTOR RPM	DIMENSIONS	UNIT NET WEIGHT
25	3360	65 x 55 xh 50cm 25 ³ / ₈ " x 21 ⁵ / ₈ " xh 20"	32kg 70.5 lbs.

FLOOR MACHINES





ACCESSORIES



SMSRE

Cellulose sponge roller for all Epoxy grout sanded and unsanded.



SMSRB

Brown sponge roller for cement base grout and abrasive tile.



SMSRY

Yellow sponge for all cement base grout on polish stone and tile.



SMAF14

14oz. bottle of anti-foam liquid. Use on heavy latex modified grouts.